

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the Company undertaking

1.1 Product identifiers

F27.00002 Flexonal PU CPGREEN

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Manufacture of plastics products, including compounding and conversion

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Bachmann Kunststoff Technologien GmbH

Rudolf-Diesel-Str. 2

D-63322 Rödermark

Telefon: +49 6074 94394

Telefax: +49 6074 98544

Informing Department:

Information Contact:

Mr. Julien

E-mail (competent person):

service@bktgermany.com

1.4 Emergency Telephone Number:

Telephone:

+49 6074 94394

Only available during office hours.

Poison Control Center Mainz - 24 h –

Emergency Call:

+49 6131 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No.1272/2008 [CLP]

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EG) No. 1272/2008 [CLP]

Hazard pictograms

not applicable

Signal Word

not applicable

Hazard statements

not applicable

Precautionary statements

not applicable

Hazard components for labelling

not applicable

Supplemental hazard information

not applicable

2.3 Other hazards

No information available.

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 2 / 8

SECTION 3: Composition/information on ingredients

3.1 Substances

Description

Pigment System

Hazardous ingredients

not applicable

Remark

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are necessary.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO₂), Powder, spray mist, (water), Water spray jet

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide, carbon dioxide, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 3 / 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours. Avoid contact with eyes and skin. Wear suitable gloves

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment:

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1 Precautions for safety handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Personal protection equipment: see section 8. Follow the legal protection and safety regulations. Always close containers tightly after the removal of product.

Advices on general occupational hygiene

When using do not eat, drink or smoke

7.2 Conditions for safety storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C.

7.3 Specific end use(s)

Observe technical data sheet.

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 4 / 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction. Street clothing should be stored separately from work clothing.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough time (maximum wearing time): 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn

Environmental exposure controls

Do not allow to enter into surface water or drains

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 5 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid
Colour: green

Safety characteristics

Odour: characteristic
Odour threshold: not determined
pH: not determined
Melting point / freezing point: not determined
Initial boiling point and boiling range: not determined
Flash point: >100 °C
Evaporation rate at 20°C: not determined
Burning time (s): not applicable
Lower explosion limit at 20°C: not determined
Upper explosion limit at 20°C: not determined
Vapour pressure at 20°C: not determined
Density at 20°C: 1,2 kg/l
Water solubility (g/L) at 20°C: not determined
Partition coefficient: n-octanol/water: see section 12
Ignition temperature in °C: not determined
Decomposition temperature: not determined
Viscosity: 6.666,67 mm²/s
Explosive properties: not relevant
Oxidising properties: not relevant

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions of avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO₂), Carbon monoxide, smoke, Nitrogen oxides (NO_x).

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 6 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Splashing may cause eye irritation and reversible damage. Ingestion may cause nausea, weakness and affect the central nervous system.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

No information available.

Safety Data Sheet
according to Regulation (EG) No. 1907/2006 (REACH)
according to Regulation (EU) 2015/830

Article/ No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 7 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVY

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14 Transport information

14.1 UN-Number

not applicable

14.2 UN proper shipping name

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards:

Land transport (ADR/RID) not applicable

Sea transport (IMDG) not applicable

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No transport as bulk according to IBC Code.

14.8 Additional information:

Land transport (ADR/RID):

not applicable

Sea transport (IMDG):

not applicable

Air transport (ICAO-TI/IATA-DGR)

not applicable

Article No.: F27.0002 Flexonal PU CPGREEN
Print date: 02.02.2021
Version: 1.0 Issue date: 02.02.2021

EN
Page 8 / 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

EU legislation

Restriction of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations:

15.2 Chemical safety assessment:

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant R-, H- and EUH-phrases (Number and full text)
not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
not applicable

Abbreviations and acronyms

See overview table at www.euphrac.eu

Indication of changes

* Data changed compared with the previous version